State Meals Program Choice Menus Cook's Menu Version

These menus are each separately analyzed to meet SD's menu goals and any of these menus can be used **to replace** any menu in Cycle A, Cycle B, Cycle C, or Cycle D **or** they may be used **to offer a second choice** to an existing menu on any cycle. They could also be used to add an additional week to any of the existing menu Cycles (A, B, C or D).

) .
Day # Choice Menus		#30	#31	#32	#33
1 piece Upside Down Pizza ½ c Baby Carrots, raw or ckd 1 c. <u>Tossed Salad</u> w/Dressing 1 med fresh Orange 1 <u>Cranberry-Orange Bar</u>	1 CS 1 CS 1 CS	3 oz Traditional Beef Roast ½ c. Baked Potato 1 CS ½ c Cooked Carrots 1 serv Pacific Lime Mold ½ CS 1 serv Cranberry Orange Bar1 CS	1 c Mexican Chicken Soup1CS ½ c Fruity Slaw ½ CS 6 Unsalted top crackers ½ c Fruit Crisp 1½ CS	Lentil Soup 2 CS 1 Meat Salad Sandwich Made w/2 whole grain brd 2CS 1/2 c Cn Pears, light syrup 1 CS 1/2 c Sugar Free Jell-o	1 Cider-Braised Pork Chop or 3oz Loin with ½ c+ veg mix 1CS ½ c. Country Time MacSalad1CS ½ c Broccoli & Cauliflower ½ c Cooked Apples 1½ CS
1 sl Whole grain bread 1 tsp margarine	1 CS	2 sl whole grain bread 2 CS 2 tsp margarine	2 sl whole grain bread 2 tsp margarine	2T Lite Whipped Topping	2 sl whole grain bread 2CS 2 tsp margarine
#34 Cheeseburger Pie 2/3 c Baked Sweet Potato ½ c. Green Beans ½ c Berry Fruit Salad with ½ T. sliced almonds 2 sl whole wheat bread	2 CS 1 CS 2 CS	#35			
2 tsp margarine					30
Recipe and menu abbreviations: AP As Purchased EP Edible Portion ~ Approximately CHO Carbohydrate CS Carb Servings		CS = Carb Serving Each CS = ~15 grams CHO for diabetics who are controlling CHO intake LS Low Salt/Low Sodium SF Sugar Free	SF gelatin (Jello) measure: .1 oz = ~7/8 t5 oz or ½ oz = 4 2/3 t or ~1 ½ T .6 oz = 5 ½ t Each oz = ~ 3 T 1/8 oz = ~ 1 1/8 t.	Sites that bake bread/rolls: Where 2 slices of whole grain bread are listed a 2 oz whole grain roll may be substituted/ if 1 slice of whole grain bread is listed a small (1 oz) whole grain roll may be served.	SF instant pudding (Jello brand) measure: 1 oz = 5 T or ½ c + 1T 1 cup nonfat or 1% milk & 1 cup water are included in the analysis each day and should be served daily

RECIPES are on website for BOLDED items (new items) and underlined items (on previous menus also) in these menus.

All meals include: 2 serving bread/grain products, 1 tsp. soft margarine/ slice bread, 1 c 1% milk, 1 c water & 1 c coffee unless otherwise noted.

Where less than 2 slices bread listed other grain products were run in the nutritional analysis. Each 1 oz slice bread = \sim 1CS . Each 1 cup 1% or skim millk = 1 CS

Record any menu substitutions necessary on the menu substitution form. Occasional permanent menu changes are allowed but must be RD approved and signed off with analysis sent to State office upon request.

ANY ITEM WITHOUT A RECIPE is to be cooked/prepared without added salt.

Check menu ahead and <u>defrost meats 2-4 days (depending on quantity) ahead</u> in refrigerator.

Canned Fruits: Purchase in extra light syrup (preferred), light syrup or in water or juice (each 15 grams CHO=1 CS & =~½ c/serv)

High Vitamin K vegetables: cooks may offer choice of vegetable when there are high Vit K vegetables on the menu for those who avoid Vit K

Gelatins (Jellos) are all **Sugar Free** (SF) on menu; **Pudding mixes** are **Sugar Free** Instant Pudding mixes. This allows for use by more participants, even those with diabetes.

VEGETABLES are to be frozen or salt free canned. Vegetable Blends on cycle menus (using mixtures in Nifda brand): California Blend = Broccoli, Cauliflower, Carrots; Oriental Blend = Broccoli, Onions, Mushrooms, Green Beans, Winter Blend = Broccoli, Cauliflower, Italian Blend = Italian beans, carrots, ______

Fish: When fish is on the menu offer a cook's choice **Low Sodium** (LS) meat for non-fish eaters; **Liver:** If the Liver & Onions Choice Menus is used offer a cook's choice LS meat for non-liver eaters.

MEASURES:

1 Tablespoon = 1T. = 3 teaspoons = 3 tsp or 3 t.

1 cup = 16 Tablespoons

1 pint = 2 cups

1 quart = 4 cups

1 qallon = 4 quarts = 16 cups

A PINT is a POUND (of liquid) the WORLD AROUND

Many other solid, heavy measures of 1 pint also = 1 pound

Light things like lettuce salad, etc will not weigh 1 pound for 1 pint

1 quart = 4 cups

1/4 cup = 4 Tablespoons; 1/3 cup = 5 1/3 Tablespoons; 1/2 cup = 8 Tablespoons;

2/3 cup = 10 2/3 Tablespoons; 3/4 cup = 12 Tablespoons

SCOOPS:

#6 = 2/3 cup = 10 2/3 T. #30 = 2 T. #8 = $\frac{1}{2}$ cup = 8 T. #40 1 $\frac{2}{3}$ T. #10 = $\frac{3}{8}$ cup = 6 T. #50 = $\frac{3}{4}$ t. #12 = $\frac{1}{3}$ cup = $\frac{5}{1}$ 1. #60 = $\frac{3}{4}$ t. #16 = $\frac{1}{4}$ cup = $\frac{4}{1}$ T. #70 = $\frac{2}{4}$ t. #20 = $\frac{3}{1}$ 1. #100 = $\frac{2}{1}$ t. #24 = $\frac{2}{1}$ 2.

The number on the scoop = # level scoopfuls in 1 quart of product. For example: eight #8 scoops = 1 quart. 1 quart = 4 cups so, four cups divided by 8 (scoop size) = $\frac{1}{2}$ cup; $\frac{1}{2}$ c is the measure of a #8 scoop when level.

LADLES AND PORTION SERVERS: Spoodles (available solid or perforated):

Fluid Ounces	Approximate Measure	Fl. Oz.	Approx. Meas.	Fl. Oz.	Approx.Meas
1 oz	1/8 cup = 2 T	4 oz	1/2 cup = 8 T.	12 oz	1 ½ cups
2 oz	½ cup = 4 T	6 oz	$\frac{3}{4}$ cup = 12 T.	16 oz	2 cups or
3 oz	3/8 cup = 6 T	8 oz	1 cup = 16 T	1 pint or 1	pound of liquid